

First-Time User Guide

Setting Up and Operating Your Vape Kit

Important Safety Information

Please read these instructions completely before using the device.

- Keep oregano oil away from your eyes. It may cause significant irritation.
- Do not use the device until the wick has been properly saturated with the selected liquid.
- Never activate the heating element when the wick is dry, as this may burn or permanently damage it.
- Only use liquids and ingredients that are compatible with your specific device and coil.
- Follow the battery manufacturer's charging and safety instructions.
- Keep the device, batteries, oils and liquids away from children and pets.
- If you experience irritation, discomfort, coughing, breathing difficulties or any other adverse effects, stop using the device.
- This product should not be used as a substitute for medical diagnosis or treatment.



1. What's Included

Your vape kit may include:

- The vape device
- A removable or replaceable tank insert
- A spare heating element or coil
- Two rechargeable batteries
- A battery charger
- Organic glycerine
- Oregano oil
- Additional instructions supplied with the kit

The newer version of the kit has a larger tank and allows the batteries to be replaced.

2. Installing the Batteries

Before using the vape, install the battery correctly.

1. Turn the device so that you can see the battery compartment at the base.
2. Open the battery cover by flicking or sliding it in the direction indicated on the device.
3. Check the polarity markings inside the battery compartment.
4. Insert the battery so that the **positive (+) end aligns with the positive (+) marking** and the **negative (-) end aligns with the negative (-) marking**.
5. Insert the battery fully.
6. Close the battery compartment securely.

When the battery is correctly installed, the screen should switch on.

Important

Always check the polarity markings before inserting a battery. Incorrect battery installation may damage the device or create a safety risk.

3. Unlocking or Starting the Device

When the device is first switched on, the display may show several code boxes.

The default access code described in the original instructions is:

8888

Use the control buttons or selector to change each box to the required number and confirm each selection.

Once the correct code has been entered, the screen should indicate that the device is ready for use.

Note: The exact menu sequence may vary. Refer to the instructions supplied with your particular model if the display differs from the procedure described here.

4. Understanding the Main Controls

The device has:

- A display screen
- A main activation or fire button
- Controls for adjusting the power setting
- An adjustable airflow control

According to the original presentation, the device may initially display a power setting of **400 watts**.

The power can be reduced by using the adjustment control.

Before changing the power setting, check the recommended operating range for your particular coil or heating element. Do not assume that every coil is suitable for every wattage setting.

5. Preparing the Tank

Before filling the tank, make sure that:

- The device is switched off or not being activated.
- The tank is securely attached.
- The heating element or coil is correctly installed.
- The wick is dry and undamaged.

Locate the tank cap and unscrew it.

Inside the tank, you will normally see:

- A **central tube or chimney**
- One or more **filling openings at the side**

Important: Do Not Fill Through the Central Tube

Do **not** pour the liquid directly into the centre tube.

Instead, insert the bottle nozzle into the **side filling slot or opening**.

6. Preparing the Glycerine and Oregano Oil Filling

If you are using oregano oil and glycerine, handle the oregano oil carefully.

Step 1: Add Glycerine

For a first-time user, the original instructions suggest beginning with glycerine before considering any additional ingredients.

Using the narrow nozzle on the glycerine bottle:

1. Insert the nozzle into the side filling opening.
2. Slowly add glycerine to the tank.
3. Do not fill through the central tube.

Because glycerine can be thick, filling may take a little time.

If the glycerine is particularly thick in cold conditions, allow it to warm naturally to room temperature before filling. Do not overheat it.

Step 2: Adding Oregano Oil

The original presentation describes adding a small number of drops of oregano oil before completing the fill with glycerine.

If you choose to use oregano oil:

1. Use the supplied dropper or pipette.
2. Ensure that the outside of the dropper is clean.
3. Place the dropper into the **side filling opening**, not the central tube.
4. Add only the amount you have independently determined to be appropriate and compatible with your device.

The presenter states that they personally use three or four drops, but this should **not be interpreted as a universal recommended dosage**.

Oregano oil is highly concentrated and may cause irritation. Exercise particular caution when handling it.

Step 3: Complete the Fill

After adding the selected ingredients:

1. Continue filling the tank with glycerine.
2. Do not overfill the tank.
3. Leave sufficient space at the top to avoid spillage when replacing the cap.
4. Carefully clean away any liquid from the filling area and outside of the tank.

Replace the tank cap and screw it on securely.

7. Allow the Wick to Saturate

This is one of the most important steps.

After filling the tank, **do not activate the device immediately**.

Allow several minutes for the liquid to soak fully into the wick.

You may be able to see the wick through small openings in the heating element.

Why is this important?

If the heating element is activated while the wick is still dry:

- The wick may burn.
- The coil may be damaged.
- The vapour may develop an unpleasant burnt taste.

If the wick becomes burnt, replacing the heating element may be necessary.

8. Mixing the Liquid

Once the tank has been filled and closed:

1. Make sure the cap is securely fitted.
2. Gently rotate the tank if appropriate for your device.

3. Allow the liquid to settle and saturate the wick.

Avoid vigorous shaking unless this is specifically recommended for your tank.

9. Adjusting the Airflow

The device has an adjustable airflow control.

By rotating the airflow ring, you can change the size of the air openings.

More Open Airflow

A wider opening generally allows more air to pass through the device.

More Restricted Airflow

A smaller opening restricts the airflow and changes the resistance of the draw.

Try different settings gradually until you find a setting that is comfortable for you.

Do not completely obstruct airflow unless your particular device is designed to operate in that configuration.

10. Attaching the Tank

Once the tank is filled and the wick has had time to saturate:

1. Check that the threads are clean.
2. Align the tank with the connection point on the device.
3. Screw it into place carefully.
4. Do not overtighten.

Press the main button briefly to check that the display activates.

11. Testing the Device

Before normal use, make sure that:

- The tank is securely fitted.
- The wick has been saturated.
- The airflow is open.
- The power setting is appropriate for the installed heating element.

When activating the device, do not leave the heating element running unnecessarily.

The heating element produces heat quickly. Avoid holding the activation button when you are not drawing through the device.

If you notice:

- A burnt taste
- Excessive heat
- Leakage
- Unusual smells
- Error messages

Stop using the device and check the tank, coil, wick, battery and power settings.

12. Using the Device

To use the vape:

1. Place the mouthpiece comfortably in your mouth.
2. Begin drawing through the device.
3. Activate the heating function according to the operation of your model.
4. Release the activation button when you have finished the draw.

If you feel irritation or think that you may cough, release the activation button and stop using the device if necessary.

Do not force yourself to inhale more deeply than is comfortable.

13. Adjusting the Power Setting

The device allows the power setting to be adjusted.

Use the relevant control to increase or decrease the wattage.

The original presentation refers to a down control that reduces the wattage.

Important

Always use a power setting that is appropriate for the installed coil or heating element.

A setting that is too high may:

- Overheat the coil.
- Burn the wick.
- Damage the heating element.
- Produce an unpleasant taste.

Check the coil specifications or the manufacturer's instructions before selecting a power level.

14. Replacing the Battery

The kit includes two rechargeable batteries, allowing one battery to be used while the other is available as a spare.

To replace a battery:

1. Switch off the device if possible.
2. Open the battery compartment.
3. Remove the existing battery.
4. Check the polarity markings.
5. Insert the replacement battery with the correct positive and negative orientation.
6. Close the compartment securely.

Only charge batteries using appropriate charging equipment.

Do not use damaged batteries or batteries with torn outer wrapping.

15. Cleaning and Maintenance

Regular cleaning will help keep the device working properly.

After Filling

- Wipe away any spilled liquid.
- Clean the tank threads.
- Make sure the cap is securely closed.

If the Flavour Changes or Tastes Burnt

Check whether:

- The tank is empty or nearly empty.
- The wick has been properly saturated.
- The coil needs replacing.
- The power setting is too high.

A persistently burnt taste may indicate that the heating element or wick needs to be replaced.

16. Quick Start Checklist

- Install the battery with the correct polarity.
- Switch on and unlock the device if required.
- Check the power setting.
- Ensure the coil or heating element is properly installed.
- Unscrew the tank filling cap.
- Fill through the side opening, not the central tube.
- Add only liquids compatible with the device.

- Avoid overfilling the tank.
 - Clean away any spilled liquid.
 - Replace the tank cap securely.
 - Allow the wick to soak for several minutes.
 - Adjust the airflow.
 - Attach the tank securely.
 - Check that the power setting is suitable for the coil.
 - Take a cautious first draw.
-

17. Final Reminder

For the best experience, take your time during the first setup.

The most important points to remember are:

Install the battery correctly.

Fill the tank through the side filling opening, not through the central tube.

Do not overfill the tank.

Always allow sufficient time for the wick to become fully saturated before activating the heating element.

Use an appropriate power setting for the installed coil.

Stop using the device if you experience discomfort or if the device appears to be malfunctioning.

Once you are familiar with the filling, soaking, airflow and power controls, the normal operating routine should become straightforward.